




Dart Hawkesbury
1270 Aberdeen St Hawkesbury, ON K6A 1K7 Canada
Tel (613) 632-5200

Purchasing Receipts

PO No	Supplier	Line Item No	Rel No	Terms	Purchased Item	Description	For Part No	Project	Equipment ID	Order Qty	Due Date	Received Quantity	Accounting Job No	Container No	Status	Receive Date	Price/Unit	
PO039300	ACI001-VC	7	1	Net 30	M6061T6TS1.000W.120	6061T6 Sq Tube 1.00 X 1.00 X .120W : MATERIAL: 6061-T6 OR 6061-T651/T6510/T6511/T62 SQUARE TUBING AS PER AMS-QQ-A-225/8 OR AMS 4117/4128/4115/4116 OR PER AMS-QQ-A-200/8 OR AMS 4160 receive ft				40	3/19/2018	40		S052131	Stock	3/16/2018	\$ 1.69 / ft	
		8			M6061T6TS1.250W.120	6061T6 Sq Tube 1.250 X 1.250 X .120W : MATERIAL: 6061-T6 OR 6061-T651/T6510/T6511/T62 SQUARE TUBING AS PER AMS-QQ-A-225/8 OR AMS 4117/4128/4115/4116 OR PER AMS-QQ-A-200/8 OR AMS 4160 receive ft						40		S052132	Stock	3/16/2018	\$ 1.86 / ft	
		10			M6061T6B1.000X3.000	6061T6 Bar 1.000 X 3.000 : MATERIAL: 6061-T6/T651/T6510/T6511/T62 ALUMINUM BAR PER QQ-A-225/8 OR AMS-QQ-A-225/8 OR AMS 4117/4128/4115/4116 OR QQ-A-200/8 OR AMS-QQ-A-200/8 OR AMS 4160 OR ASTM B211 OR ASTM B221 receive ft				12		12		S052133	Stock	3/16/2018	\$ 11.50 / ft	
Total:										92		92						

Plex 3/16/2018 10:16 AM Dart.Dubois.Pascal



ACIER OUELLETTE INC.

935, Boul. du Havre
Salaberry de Valleyfield (Québec) J6S 5L1
Tél.: 450-377-4248 Mtl: 514-336-4248 Ext.: 800-667-4248
Fax: 450-377-5696 Mtl: 514-336-4246 Ext.: 866-456-4242

DELIVERY - CLIENT

CO00078585

Customer N° CLI0001056
Date 2018/03/14
Delivery date 2018/03/15
Your order N° 39300

Processed by Josianne Bourdon
Salesman
Carrier OUELLETTE VALLEYFIELD
Credit Terme Net 30 Days

Shipped to

DART AEROSPACE LTD
1270 , ABERDEEN ST.
HAWKESBURY, Ontario, K6A 1K7

Att : CHANTAL LAVOIE Tél.: 613-632-5200

Page 1

Delivery Route 5

Instruction F-M

Product Description	Weight	Qty	U/M	PCS NB			Internal Use Only			
				CMD	EXP	B/O	IN	I	S	OUT
1 TUBE ALU 1 X 1 X .120 6061-T6 R * TAL-11120R 2 X 20' HEAT: SXFI71986 6290	19.32	40.00	PL_\$CLB		2x20'		40		MAR 16 2018	DAS 11 9-89
2 FLAT ALU 1 X 3 6061-T6 * FAL-13 2500 1 X 12' HEAT: 69168	42.34	12.00	PL_\$CLB		1x12'		12		MAR 16 2018	DAS 11 9-89

Total Weight (Lbs) : 61.66 NIR : R-109516-6

Conditions : All sold and delivered materials remain the property of "Acier Ouellette Inc" until payment is made in full, complete and cashed. All lost materials are at the buyer's expense. The warranty offered by "Acier Ouellette Inc." is the same as offered and honored by the manufacturer and his warranty is transferred by "Acier Ouellette Inc." to the client. The buyer hereby accepts to respect the following conditions: Net 30 days from billing date and the buyer accepts to pay administration charges of 2% per month (24% per annum) on all past due amounts over 30 days. Any default in respect with this contract will lead to payment by acceleration and permits to the seller, at his choice to claim for the balance due or the repossession of the goods sold. All claims must be made within five (5) days with this document enclosed. Any merchandise that has been damaged, cut or modified cannot be returned. All goods returned must be with our authorization and are subject to a 25% restocking charge.

Prepared By :	Verified By :	Delivered By :	Date
			18/03/15

Total (\$CAD)



Dart Aerospace Ltd.
1270 Aberdeen St
Hawkesbury, ON
K6A 1K7
Canada

Tel (613) 632-5200

PURCHASE ORDER PO039300

Supplier: ACI001-VC
Acier Ouellette Inc.
935 Boul. Du Havre
Valleyfield
QC
J6S 5L1 Canada
Phone: 800 667 4248
Fax: 450 377 5696

PO No: PO039300

PO Date: 3/13/18

Due Date: 3/19/18

Purchase Order

Revision:

Revision Date:

Ship-To Contact: Lavoie, Chantal
clavoie@dartaero.com

E-MAILED
MAR 14 2018

Ship To: 1270 Aberdeen Street
Hawkesbury
ON
K6A 1K7 Canada
Phone: 613-632-5200

Via: Ground

Pynt Terms: Net 30

Freight Terms:

Special Comments: QUOTE NO. SOU0091255, SOU0089404,
SOU0090963, SOU0089881, SOU0089730

Items

Line Item	Part	Supplier Part No	Description	Status	Due Date	Order Quantity	Received Quantity	Balance	Unit Price (CAD)	Extended Price
1	M6061T6B0.500X04.500		6061T6 Bar 0.500 X 4.500 : MATERIAL: 6061-T6/T651/T6510/T6511/T62 ALUMINUM BAR PER QQ-A-225/8 OR AMS-QQ-A-225/8 OR AMS 4117/4128/4115/4116 OR QQ-A-200/8 OR AMS-QQ-A-200/8 OR AMS 4160 OR ASTM B211 OR ASTM B221 receive ft	Firmed	3/19/18	12 ft	0 ft	12 ft	\$9.58333/ft	\$115.00
2	M2024T3S0.160		2024-T3 .160 Sheet : MATERIAL: 2024-T3 ALUMINUM SHEET AS PER QQ-A-250/4 OR AMS-QQ-A-250/4 OR AMS 4037 OR ASTM B209 receive sf	Firmed	3/19/18	48 sf	0 sf	48 sf	\$26.190833/sf	\$1,257.16
3	M6061T6S4.500X12.000		6061T6 sheet 4.500 X 12.000 (Cut to 20.000") : MATERIAL: 6061-T6/T651/T6510/T6511/T62 ALUMINUM BAR PER QQ-A-225/8 OR AMS-QQ-A-225/8 OR AMS 4117/4128/4115/4116 OR QQ-A-200/8 OR AMS-QQ-A-200/8 OR AMS 4160 OR ASTM B211 OR ASTM B221 receive ft	Firmed	3/19/18	1.67 ft	0 ft	2 ft	\$331.76047/ft	\$554.04

Line Item Note 1 PCS CUT AT 20" LONG

Items										
Line Item	Part	Supplier Part No	Description	Status	Due Date	Order Quantity	Received Quantity	Balance	Unit Price (CAD)	Extended Price
4	MT-4140-B-1.250X6.000		AISI 4140 Steel Bar : Material: AISI 4140 STEEL BAR AS PER ASTM A29, AMS 6349, AMS 6382, AMS 6529, MIL-S-5626 MIN. ROCKWELL C = 28 RC MAX. ROCKWELL C = 32 RC	Firmed	3/28/18	10 ft	0 ft	10 ft	\$68.905/ft	\$689.05
5	MT-1144-R2.000		1144 Steel Proof Round Bar 2.000" AISI 1144 STRESSPROOF STEEL ROUND BAR ASTM A311 OR UNS G11440	Firmed	3/19/18	20 ft	0 ft	20 ft	\$15.5875/ft	\$311.75
6	MT-A513-T- 1.125W0.188		A513 Seamless Alloy Steel Round Tubing 1.25"dia. x 0.188" Wall	Firmed	3/19/18	20 ft	0 ft	20 ft	\$7.25/ft	\$145.00
7	M6061T6TS1.000W.120		6061T6 Sq Tube 1.00 X 1.00 X .120W : MATERIAL: 6061-T6 OR 6061- T651/T6510/T6511/T62 SQUARE TUBING AS PER AMS-QQ-A-225/8 OR AMS 4117/4128/4115/4116 OR PER AMS-QQ-A-200/8 OR AMS 4160 receive ft	Firmed	3/19/18	40 ft	0 ft	40 ft	\$1.69025/ft	\$67.61
8	M6061T6TS1.250W.120		6061T6 Sq Tube 1.250 X 1.250 X .120W : MATERIAL: 6061-T6 OR 6061- T651/T6510/T6511/T62 SQUARE TUBING AS PER AMS-QQ-A-225/8 OR AMS 4117/4128/4115/4116 OR PER AMS-QQ-A-200/8 OR AMS 4160 receive ft	Firmed	3/19/18	40 ft	0 ft	40 ft	\$3.7225/ft	\$148.90
9	MT-4140-S- 1.000X10.000		AISI 4140 Steel Sheet/Plate AISI 4140/4142 STEEL SHEET OR PLATE AS PER ASTM A829/ AMS 6395	Firmed	3/28/18	6 ft	0 ft	6 ft	\$94.95333/ft	\$569.72

MAR 16 2018

DAS
11
9-89

MAR 16 2018

DAS
11
9-89

Items										
Line Item	Part	Supplier Part No	Description	Status	Due Date	Order Quantity	Received Quantity	Balance	Unit Price (CAD)	Extended Price
10	M6061T6B1.000X3.000		6061T6 Bar 1.000 X 3.000 : MATERIAL: 6061-T6/T651/T6510/T6511/T62 ALUMINUM BAR PER QQ-A-225/8 OR AMS-QQ-A-225/8 OR AMS 4117/4128/4115/4116 OR QQ-A-200/8 OR AMS-QQ-A-200/8 OR AMS 4160 OR ASTM B211 OR ASTM B221 receive ft	Firmed	3/19/18	12 ft	0 ft	12 ft	\$11.499166/ft	\$137.99
11	Mt-4140-S-1.500X3.000		4140 Steel Bar 1.500 X 3.000 : AISI 4140N STEEL SHEET OR PLATE AS PER ASTM A829 OR AMS 6395 MIN: ROCKWELL C = 28 RC MAX: ROCKWELL C = 32 RC receive ft	Firmed	3/28/18	6 ft	0 ft	6 ft	\$87.50/ft	\$525.00
12	M1018B2.000X02.500		1010-1025 Steel Bar 2.000 X 2.500 : MATERIAL: AISI 1010-1025 OR ASTM A36/A366/A569/A570 OR OR CSA G40-21 38W/44W/50W/60W/70W CSA G40-21 OR 38W/44W/50W/60W/70W receive ft	Firmed	3/19/18	12 ft	0 ft	12 ft	\$26.681666/ft	\$320.18
13	MT-4140-R0.500		4140 Steel Round Bar 0.500" : AISI 4140 ROUND BAR AS PER ASTM A29/AMS 6349/AMS 6382/AMS 6529 MIN: ROCKWELL C = 20 RC MAX: ROCKWELL C = 38 RC receive ft	Firmed	3/19/18	20 ft	0 ft	20 ft	\$2.4045/ft	\$48.09
Grand Total:										\$4,889.49

Order Notes

Procurement Quality Clauses

A005 right of entry
 A012 chemical and physical test report
 A016 personnel qualification
 A017 raw material identification (as applicable)
 A026 certification of material conformance
 A041 quality management system
 A042 dart notification by supplier
 A043 retention of quality documents

A048 counterfeit parts avoidance, detection, mitigation and disposition program

A049 supplier awareness

Terms & Condition of Purchasing(Suppliers) and Procurement Quality Clauses are an integral part of our AS9100 requirements. To learn in detail, please visit www.dartaerospace.com for further explanation.



Plex 3/14/18 7:28 AM dart.lavoie.chantal

MATERIAL RECEIPT INSPECTION FORM

MATERIAL: M6061H6B1.000X3.000

PO / BATCH NO: 089300/5052B3

DATE: MAR 16 2018

MATERIAL CERT REC'D: yes
 QUANTITY RECEIVED: 12
 QUANTITY INSPECTED: 12
 QUANTITY REJECTED: 0

THICKNESS ORDERED: 1.000
 THICKNESS RECEIVED: 1.000
 SHEET SIZE ORDERED: N/A
 SHEET SIZE RECEIVED: N/A

DESCRIPTION	NCR (Check Y/N)	COMMENTS
SURFACE DAMAGE	Y <input checked="" type="radio"/> N <input type="radio"/>	
CORRECT FINISH	<input checked="" type="radio"/> Y <input type="radio"/> N	
CORROSION	Y <input checked="" type="radio"/> N <input type="radio"/>	
CORRECT GRAIN DIRECTION	<input checked="" type="radio"/> Y <input type="radio"/> N	
CORRECT MATERIAL PER M-DRAWING	<input checked="" type="radio"/> Y <input type="radio"/> N	<u>Astin B221</u>
CORRECT THICKNESS	<input checked="" type="radio"/> Y <input type="radio"/> N	
PHOTO REQUIRED	Y <input checked="" type="radio"/> N <input type="radio"/>	
CORRECT REF # TO LINK CERT	<input checked="" type="radio"/> Y <input type="radio"/> N	<u>Heat # 69168</u>
CORRECT MATERIAL IDENTIFICATION	<input checked="" type="radio"/> Y <input type="radio"/> N	
CORRECT M# ON THE MATERIAL	<input checked="" type="radio"/> Y <input type="radio"/> N	
DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF	Y <input checked="" type="radio"/> N <input type="radio"/>	
DOES THIS REQUIRE AN EXTRUSION REPORT	Y <input checked="" type="radio"/> N <input type="radio"/>	

CUT SAMPLE PIECE OF MATERIAL AND PREFORM A HARDNESS CHECK. RECORD RESULTS BELOW					
	HRC	HRB	DUR A	DUR D	WEBSTER
TYPE OF MATERIAL					
SIZE OF TEST SAMPLE					
HARDNESS / DUROMETER READING					

testers located in the Quality Office

QC 18 INSPECTION	ENGINEERING SIGNOFF (if required)
INSPECTED BY: <u>DAS 11</u> DATE: <u>9-89 MAR 16 2018</u>	SIGNED OFF BY: _____ DATE: _____

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in

SPECIFICATION CONTROL DRAWING

PURCHASE MATERIAL: 6061-T6/T6510/T6511/T62 ALUMINUM BAR

SPECIFICATION: QQ-A-225/8 OR AMS-QQ-A-225/8 (OR AMS 4117/4128/4115/4116)
OR QQ-A-200/8 OR AMS-QQ-A-200/8 (OR AMS 4160)
OR ASTM B211 OR ASTM B221

PART NUMBER: M6061T6B | T.TTT | X | WWW.WWW | THICK | WIDTH

WHERE "T.TTT" = THICKNESS IN INCHES
"WWW.WWW" = WIDTH IN INCHES

E.G. 1.0" X 12.0" BAR = M6061T6B1.000X12.000

RELEASED
R 2009-09-03
MD

B	REMOVE QQ-A-250/11 OPTION, REFORMAT NOTES, ADD ASTM B211/B221 (Zn D7-1)	CP	09.07.13
A	NEW ISSUE	DS	01.06.08
REV	DESCRIPTION	BY	DATE
DESIGN	DS		
DRAWN	DS		
CHECKED	AS		
MFG. APPR.	M6061T6B		
APPROVED			
DE APPR.			
DATE	09.07.13		
DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA			
DRAWING NO. REV. B			
M6061T6B SHEET 1 OF 1			
TITLE SCALE			
6061-T6 BAR NTS			
DATE 09.07.13			
COPYRIGHT © 2001 BY DART AEROSPACE LTD. THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE UNDERSTANDING THAT IT IS NOT TO BE USED FOR ANY PURPOSES OTHER THAN THAT FOR WHICH IT WAS SPECIFICALLY PREPARED. DART AEROSPACE LTD. HAWKESBURY, ONTARIO, CANADA			

6290

TAL-11120K-V

TRA 205.1

49564

Global Vietnam
Aluminium Co., Ltd

GLOBAL VIETNAM ALUMINIUM COMPANY LIMITED

Address: MY XUAN BI-CONAC INDUSTRIAL ZONE, MY XUAN TOWN, TAN THANH DISTRICT,
BA RIA VUNG TAU PROVINCE, VIETNAM
Tel: +84(0)643924954
Fax: +84(0)643924953

MILL TEST CERTIFICATE

Date: October 29, 2017

Applicant/Consignee: SINOMETAL RESOURCES INC.
4455 RUE COUSENS SAINT-LAURENT, QC, H4S 1X5, CANADA
PO number: 17-P-565
Shipping Ref No.: 17-2134
LC No.: DC HMN714345
Date of issue: October 24, 2017
Item Code: 1000703
Die Number: D00414
Alloy & Temper: 6061-T6
Production Description: CUSTOM ALUMINIUM EXTRUSION
Tube RD CRN 1"x.12"(OR.156")x 20' 6061-T6

Length (Inch): 240
Unit weight (kg/meter): 0.7039
Bundle number: 17-P-565-120, 17-P-565-119, 17-P-565-118

Heat Number: SXP171986

Date: 22/10/2017

Applicable Specifications: ASTM B221 STANDARDS

CHEMICAL ANALYSIS: %

Si	Mg	Fe	Cu	Mn	Cr	Zn	Ti	Al	Other		Remark:
									EACH	TOTAL	
0.592	0.946	0.252	0.245	0.034	0.099	0.013	0.020	97.699	<0.05	<0.10	20/10/2017

MECHANICAL ANALYSIS:

Ult. Strength (ksi)	Yield Strength (ksi)	Elongation % LN 2"	Remark:
42.3	38.5	11.7	20/10/2017

All profiles, showing material shipped match aluminium alloy as per standard, with chemical analysis to match aluminium alloy standard.

We hereby certify that the item listed have been checked and tested in accordance with the specifications noted and have been found to meet all the applicable requirements. Certifications are kept on file for 36 months from the date of purchase and are available for review upon request, referring to ASTM and the PO number.

Quality Manager



TAM KIEM NGHIEM CONG TY
TNHH NHOM TOAN CAU VIET NAM
GLOBAL VIETNAM ALUMINIUM
CO., LTD TESTING CENTER

2500

FAL-13-V

TRA 1973

49299

Test de dureté Rockwell Rockwell Hardness Test

Client / Customer : **LES ACIERS TRANSBEC (1997) LTEE.**Adresse / Address : **4054 BOUL. LE CORBUSIER # 201
LAVAL, QC
H7L5R2**# commande Sapa / Sapa order # : **7020941**# bon de commande / Purchase order # : **OU-47416**# de matrice / Die # : **MS 16854**Description : **3" X 1" FLATBAR**Alliage & trempage / Alloy & temper : **6061 T6** Longueur / Length : **6097 mm**# Contrôle / Control # : **85602-1**# Coulée / Cast # : **69168**

Dureté Rockwell E /

Rockwell E hardness : **93 HRE**

Min. requis /

Min. required : **88 HRE**

Max. permis /

Max. permitted : **100 HRE**

Composition chimique typique / Typical chemical composition :

	Si	Fe	Cu	Mn	Mg	Cr	Zn	Ti
6063	0,20 - 0,60	0,35 Max	0,10 Max	0,10 Max	0,45 - 0,90	0,10 Max	0,10 Max	0,10 Max
6005	0,60 - 0,90	0,35 Max	0,10 Max	0,10 Max	0,40 - 0,60	0,10 Max	0,10 Max	0,10 Max
6005A	0,66 - 0,74	0,14 - 0,28	0,08 - 0,16	0,18 - 0,26	0,46 - 0,54	0,03 Max	0,05 Max	0,05 Max
6061	0,40 - 0,80	0,70 Max	0,15 - 0,40	0,15 Max	0,80 - 1,20	0,04 - 0,35	0,25 Max	0,15 Max
6351	0,7 - 1,3	0,5 Max	0,10 Max	0,40 - 0,80	0,40 - 0,80	---	0,20 Max	0,20 Max

Nous certifions que le matériel fourni rencontre les exigences chimiques telles qu'annoncées par la norme ASTM B-221-14 excepté pour la section 8.2 (nombre de spécimen) .

We hereby certify that the material supplied meets the chemical properties as published by the ASTM B-221-14 except for section 8.2 (number of specimen) .

Sincèrement vôtre,
Yours truly,

date : **2017-05-24**

Daniel Alfredo Pelletier
Directeur Qualité
Quality Director